



Efficient Twin-Screw Extruder for Consistent Plastic Masterbatch Production

Our Product Introduction

for more products please visit us on extrudergranulator.com


Basic Information

- Place of Origin: Nanjing China
- Brand Name: HLD
- Certification: SGS/ISO9001/CE
- Model Number: H-TSE35/50/65/75/95B
- Minimum Order Quantity: 1/set
- Price: face to face /set
- Packaging Details: Bubble wrap/ Wrap film/ Wooden box
- Delivery Time: 35~45 Days
- Payment Terms: T/T,
- Supply Ability: 200~500 set/year



Product Specification

- Name: Masterbatch Extruder
- L/D: 40 1~60
- Motor: Customized
- Product Type: Granules
- Voltage: 380V, 380V 50HZ 3Phase(Customized), 220V/380V, Customized, AC
- Application: Granules, Plastic Masterbatch
- After-sales Service Provided: Engineers Available To Service Machinery Overseas, Field Installation, Commissioning And Training, Video Technical Support, Online Support
- Color: Customised, Gray Custom, Customizable, Depends On The Clients, Any Color As You Require
- Highlight: **Efficient Plastic Masterbatch Extruder, Twin-Screw Plastic Masterbatch Extruder, Consistent Plastic Masterbatch Extruder**



More Images



Product Description

Introducing our Efficient Twin-Screw Extruder, designed for consistent and high-quality plastic masterbatch production. This machine is engineered to streamline the extrusion process, providing uniform output while minimizing downtime and waste.

Equipped with cutting-edge technology, it features adjustable parameters that allow for precise control over flow rates and temperature settings, ensuring optimal processing for a variety of plastic materials. The twin-screw design promotes excellent mixing and homogenization, resulting in a masterbatch with consistent color and quality.

Our extruder is not only reliable but also energy-efficient, helping you reduce operational costs while maintaining high productivity levels. Its compact footprint makes it suitable for facilities with limited space, and its robust construction ensures longevity, even under continuous operation. Elevate your production capabilities with our Efficient Twin-Screw Extruder for flawless masterbatch results.


Model	L/D	Output
H-20B	28~60 :1	5~20kg/h
H-36B/40B	28~60 :1	60~150kg/h
H-50B/52B	28~60 :1	150~250kg/h
H-65B	28~60 :1	300~500kg/h
H-75B	28~60 :1	500~750kg/h
H-95B	28~60 :1	800~1500kg/h


Applications

Filling modification	PE, PP, EVA, ABS, PC, PS, etc.+calcium carbonate, talc, glass beads,
	SiO ₂ , aluminum hydroxide, Magnesium hydroxide, brocade oxide, sulfuric acid
	PP, PA, ABS, etc. + iron powder, magnetic powder, aluminum powder, stainless steel wire, ceramic powder
Blending modification (rubber and plastic compounding, plastic alloy)	PE, PP, PS+SBS, PP, PA+EPDM, POE, PP+NBR, EVA + silicone rubber, etc.
	PA, PC+ABS: ABS+TPU: PBT+PET: PP+PE, etc.
Masterbatch	PE, PP, ABS, EVA, PS, PBT, PET, etc. + pigments and other additives
	Biodegradable masterbatch: PE, PS, PP + starch, etc.
	Flame retardant masterbatch: PE, PP, PA, ABS, PBT, etc. + flame retardants and other additives
Functional masterbatch	Polyethylene master batch, anti-fog and anti-aging, high thermal insulation masterbatch, cooling masterbatch, rheology modified masterbatch
	anti-rust masterbatch, stiffening masterbatch, antistatic masterbatch, antibacterial masterbatch
	Carbon black masterbatch: PE, EVA, ABS, PET, etc. + carbon black
Glass fibre (Carbon fibre) Reinforcement (MD model short fibre)	PP, PBT, ABS, AS, PA, PC, POM, PET, PEEK, PPO, PES, etc. + long glass fiber or short glass fiber
	PP, PBT, ABS, AS, PA6, PA66, PC, POM, PET, etc. + long carbon fiber or short carbon fiber
Thermoplastic elastomer	TPR, TPU, TPV, SBS, SEBS, SIS, etc
	EVA, PU hot melt adhesive, silicone adhesive, UHMWPE spinning
	Fluororubber, fluoroplastics, LCP, PEEK, PES, PL, PSU, etc.
Special material	Optical cable covering material, acetate fiber, PP cigarette filter material, conductive plastic
	TPR, PU, EVA foam sole material
	Luminous plastics, antibacterial plastics, anti-UV plastics, PE cross-linkable pipe materials food, pet feed
Various cable materials	HDPE, LDPE, LLDPE, MDPE, PP, EVA Insulation material, sheath material, PF Radiation cross-linked cable material, PE Silane cross-linked cable material
	Flame retardant polyolefin cable materials, low smoke halogen-free flame retardant cable materials
Reactive extrusion	Low smoke and low halogen flame retardant PVC cable material
Devolatilization	Polyamide polycondensation reaction, polyester melt polymerization reaction, polyurethane polycondensation reaction, polycarbonate polycondensation reaction, polyoxymethylene bulk continuous polymerization reaction, PMMA polymerization
	Chlorinated polypropylene, chlorosulfonated polyethylene, fluorine rubber, butadiene rubber, SBS, EPDM, SEBS, SIS, etc.
Powder coating	Polyester type, epoxy type, acrylic vinegar type, polyurethane type, acrylic vinegar, phenol resin, etc.

Product details







FAQ

1:How many years of experience do you have?

Over 15 years experience in extruder industry.

2:Are you traders or manufacturers?What is the area of the factory?

We are manufacturer,The factory is over 5000 square meters.

3:Screw and barrel accessories, who is produced?

Our factory manufactures it ourselves

4:Can I have a sample order for extruder?

Yes, we welcome sample order to test and check quality. Mixed samples are acceptable.

5:How to proceed an order for ?

Firstly ,let us know your requirements or application.
Secondly ,We quote according to your requirements or our suggestions.
Thirdly ,customer confirms the samples and places deposit for formal order.
Fourthly, We arrange the production.
Finally, arrange delivery



6: Provide technology and formula?

For orders over a certain amount, we will provide the technology and formula to help you complete the project.

7: Have a catalogue?

[HLD Album.pdf](#)

 **Nanjing Henglande Machinery Technology Co., Ltd.**

 +86 15251884557  jayce@hldextruder.com  extrudergranulator.com

NO.11,Qinghu Road,Hushu Town,Jiangning District,Nanjing,china.