



High Torque Hydraulic Screen Changer For Plastic Twin Screw Extruders Alloy Steel Fast Screen

Our Product Introduction

for more products please visit us on extrudergranulator.com

Basic Information

- Place of Origin: Nanjing, China
- Brand Name: HLD/KL
- Certification: CE
- Model Number: Various
- Minimum Order Quantity: 1 set
- Price: Price negotiable
- Packaging Details: Film packaging, bubble film packaging
- Delivery Time: 7 work days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 100 sets per month



Product Specification

- Product Name: Hydraulic Screen Changer
- Material: Alloy Steel
- Category: Press Plate
- Usage: Sheets, Plates, Pipes, Wires, Cables, Granulation
- Feature: High Temperature And High Pressure Resistance
- Main Power: Customized
- Corrosion Resistance: Yes
- Color: Customized
- Dimension: Customized
- Weight: Customized

Product Description

Extruder parts - hydraulic screen changer

Hydraulic screen changer is an important accessory for filtering impurities in plastic extruders.

Attribute

Usually made of alloy steel, it has high wear resistance, high pressure resistance and high precision. It adopts multi-layer co-extrusion die head with different functions and classifications.

Function

Filter impurities during the plastic extrusion process to prevent defective products and material waste. It can realize network replacement without stopping the machine, improving production efficiency and equipment utilization.

Feature

It has the function of rapid network change, and the network change time is less than or equal to 2 seconds.

Adopts pressure sealing device to meet high extrusion production requirements.

Suitable for high viscosity plastics, such as PVC, PE, PP, etc.


Application

It can be used in various plastic processing processes such as mixing, masterbatch, recycling, sheet extrusion, profile extrusion, and pipe production.

Suitable for extruder production lines such as melt blown cloth machines, melt pumps, and reactors.

It can be used in the production process of various plastic products such as film blowing production, pipe production, and hollow product production.




产品规格型号 type	适用产量 output kg/h	轮廓尺寸 (mm) size				滤网尺寸 screen size		加热器 Heating tube	
		L1	L2	L3	L4	直径 (mm)	面积 (cm ²)	电压 (v)	加热功率 (KW)
ZB-SSP-A-70	75-200	100	700	160	240	Φ70	38	220/380	3.4
ZB-SSP-A-100	130-350	123	845	160	270	Φ100	78	220/380	3.8
ZB-SSP-A-130	200-550	130	875	180	290	Φ130	132	220/380	4.2
ZB-SSP-A-160	350-800	160	1020	210	360	Φ160	200	220/380	5.4
ZB-SSP-A-180	450-1250	165	1075	220	380	Φ180	254	220/380	6.1
ZB-SSP-A-210	550-1500	215	1195	238	420	Φ210	346	220/380	9.2
ZB-SSP-A-250	800-2500	225	1290	238	430	Φ250	490	220/380	9.6
ZB-SSP-A-300	1200-3500	260	1445	360	530	Φ300	706	220/380	16
ZB-SSP-A-350	2000-5000	320	1680	400	580	Φ350	962	220/380	34
ZB-SSP-A-400	2600-7000	350	1815	426	630	Φ400	1256	220/380	38.4





Product details





FAQ

1:How many years of experience do you have?

Over 15 years experience in extruder industry.

2:Are you traders or manufacturers?What is the area of the factory?

We are manufacturer,The factory is over 5000 square meters.

3:Screw and barrel accessories, who is produced?

Our factory manufactures it ourselves

4:Can I have a sample order for extruder?

Yes, we welcome sample order to test and check quality. Mixed samples are acceptable.

5:How to proceed an order for ?

Firstly ,let us know your requirements or application.

Secondly ,We quote according to your requirements or our suggestions.

Thirdly ,customer confirms the samples and places deposit for formal order.

Fourthly, We arrange the production.

Finally, arrange delivery

6: Provide technology and formula?

For orders over a certain amount, we will provide the technology and formula to help you complete the project.

7: Have a catalogue?

[HLD Album.pdf](#)

 **Nanjing Henglande Machinery Technology Co., Ltd.**



+86 15251884557



jayce@hldextruder.com



extrudergranulator.com

NO.11,Qinghu Road,Hushu Town,Jiangning District,Nanjing,china.