



CE Plastic Industry PP PE Vertical Water Ring Pelletizing System Waste Plastic Granulator

Our Product Introduction

for more products please visit us on extrudergranulator.com

Basic Information

- Place of Origin: Nanjing, China
- Brand Name: HLD/KL
- Certification: CE
- Model Number: Various
- Minimum Order Quantity: 1 set
- Price: Price negotiable
- Packaging Details: Film packaging, bubble film packaging
- Delivery Time: 7 work days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 100 sets per month



Product Specification

- Product Name: Water Ring Pelletizing
- Category: Plastic Granulator
- Number Of Rotating Blades: Customized
- Number Of Fixed Knives: Customized
- Swing Diameter: Customized
- Feed Port Diameter: Customized
- Corrosion Resistance: Yes
- Durability: High
- Cutter Speed: Customized
- Filter Plate Aperture: Customized



More Images



Product Description

Extruder parts - water ring pelletizing system

The water ring pelletizing system has been widely used in the plastic processing industry due to its high efficiency, high degree of automation and wide adaptability, especially in the production of high-quality plastic pellets.

Attributes:

The water ring pelletizing system mainly includes the die, water ring pelletizer, water circulation system, dehydration device and vibrating screen, and the packaging system can also be selected.

Function:

This system is suitable for the production of high-quality plastic pellets, especially for materials that are sensitive to moisture, and can avoid direct contact between materials and water.

Feature:

Suitable for compounding and pelletizing of polyolefins, such as polyethylene, polypropylene, etc.

The material is pelletized under the action of the water ring, and then taken to the water separator for dehydration through the water flow, and then dried and cooled to form a finished product.

The product has a smoother appearance, better material fluidity, a higher degree of automation, and a shorter production line length.


Application:

Suitable for pelletizing of polymer materials, such as PE, PP, PS, TPU, EVA, etc.

It is particularly suitable for pelletizing of twin-screw extrusion compounding raw materials for large-scale production.

Due to its high degree of automation, it is suitable for occasions requiring continuous production and high output










Product details





FAQ

1:How many years of experience do you have?

Over 15 years experience in extruder industry.

2:Are you traders or manufacturers?What is the area of the factory?

We are manufacturer,The factory is over 5000 square meters.

3:Screw and barrel accessories, who is produced?

Our factory manufactures it ourselves

4:Can I have a sample order for extruder?

Yes, we welcome sample order to test and check quality. Mixed samples are acceptable.

5:How to proceed an order for ?

Firstly ,let us know your requirements or application.

Secondly ,We quote according to your requirements or our suggestions.

Thirdly ,customer confirms the samples and places deposit for formal order.

Fourthly, We arrange the production.

Finally, arrange delivery

6: Provide technology and formula?

For orders over a certain amount, we will provide the technology and formula to help you complete the project.

7: Have a catalogue?

[HLD Album.pdf](#)

 **Nanjing Henglande Machinery Technology Co., Ltd.**

 +86 15251884557

 jayce@hldextruder.com

 extrudergranulator.com

NO.11,Qinghu Road,Hushu Town,Jiangning District,Nanjing,china.