



## Direct from the manufacturer Low Noise Air Cooled Strand Pelletizing Equipment Extruder Auxiliary Machine

Our Product Introduction

for more products please visit us on [extrudergranulator.com](http://extrudergranulator.com)

### Basic Information

- Place of Origin: Nanjing, China
- Brand Name: HLD/KL
- Certification: CE
- Model Number: Various
- Minimum Order Quantity: 1 set
- Price: Price negotiable
- Packaging Details: Film packaging, bubble film packaging
- Delivery Time: 7 work days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 100 sets per month




### Product Specification

- Product Name: Air-cooled Strand Pelletizing Equipment
- Category: Plastic Granulator
- Fan Power: Customized
- Number Of Fans: Customized
- Conveyor Belt Length: Customized
- Conveyor Belt Material: Customized
- Corrosion Resistance: Yes
- Durability: High
- Dimension: Customized
- Weight: Customized
- Highlight: low noise air cooled pelletizing equipment, strand pelletizing extruder auxiliary machine, extruder parts with warranty



### More Images



### Product Description

Low Noise PLA Polylactic Acid PBAT Biodegradable Plastic Air-Cooled Strand Pelletizing Equipment Filling And Modification

### Extruder parts - air-cooled strand pelletizing system

The air-cooled strand pelletizing system is a pelletizing system used in the auxiliary machine of the twin-screw extruder. Due to its unique operation mode and adaptability, it plays an important role in the processing of specific materials, especially in situations where it is necessary to avoid contact between the material and water.

**Function:**

The system is suitable for special materials, such as highly filled masterbatch based on PP, biodegradable masterbatch and wood-plastic blends, which are too sticky to be hot-cut with air-cooled die faces.

**Feature:**

The contact between the material and water is avoided during the granulation process, which is suitable for materials that are difficult to dry after contact with water.

The structure is simple, easy to operate and maintain, and the requirements for operators are not high.

**Application:**

Suitable for materials with high filling content, especially those that are difficult to dry after being soaked in water, to ensure the quality of the materials.

Suitable for single-stage extruders, suitable for the production of special materials such as high-filling masterbatches, biodegradable masterbatches and wood-plastic blends











## Product details





## FAQ

**1:How many years of experience do you have?**

Over 15 years experience in extruder industry.

**2:Are you traders or manufacturers?What is the area of the factory?**

We are manufacturer,The factory is over 5000 square meters.

**3:Screw and barrel accessories, who is produced?**

Our factory manufactures it ourselves

**4:Can I have a sample order for extruder?**

Yes, we welcome sample order to test and check quality. Mixed samples are acceptable.

**5:How to proceed an order for ?**

Firstly ,let us know your requirements or application.

Secondly ,We quote according to your requirements or our suggestions.

Thirdly ,customer confirms the samples and places deposit for formal order.

Fourthly, We arrange the production.

Finally, arrange delivery

**6: Provide technology and formula?**

For orders over a certain amount, we will provide the technology and formula to help you complete the project.

**7: Have a catalogue?**

[HLD Album.pdf](#)

 **Nanjing Henglande Machinery Technology Co., Ltd.**

 +86 15251884557

 [jayce@hldextruder.com](mailto:jayce@hldextruder.com)

 [extrudergranulator.com](http://extrudergranulator.com)

NO.11,Qinghu Road,Hushu Town,Jiangning District,Nanjing,china.