



Direct from the manufacturer extruder accessories Blow dryer custom specifications

Our Product Introduction

for more products please visit us on extrudergranulator.com

Basic Information

- Place of Origin: Nanjing, China
- Brand Name: HLD/KL
- Certification: CE
- Model Number: Various
- Minimum Order Quantity: 1 set
- Price: Price negotiable
- Packaging Details: Film packaging, bubble film packaging
- Delivery Time: 7 work days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 100 sets per month



Product Specification

- Product Name: Blow Dryer
- Category: Low-voltage Electrical Appliances
- Tolerance: $\pm 0.01\text{mm}$
- Precision: High
- Usage: Food Industrial, Extruder Parts
- Main Power: Customized
- Corrosion Resistance: Yes
- Durability: High
- Color: Customized
- Dimension: Customized
- Weight: Customized
- Highlight: extruder accessories blow dryer, custom extruder blow dryer, extruder parts with warranty



More Images



Product Description

Extruder parts - Blow dryer

The blow dryer in the extruder accessories is a device used for drying and cooling the surface of extruded plastic products (such as pipes, films, etc.), which directly affects the appearance quality and performance of the final product. Therefore, choosing and using a suitable blow dryer in the production process is crucial to improving production efficiency and product quality.

Attributes

The main body of most blow dryers is made of stainless steel to resist moisture and chemical corrosion.

The interior is usually made of high temperature and wear resistant materials to accommodate the extruded thermoplastic material.

Blow dryers are usually equipped with high-efficiency centrifugal fans that can provide sufficient air flow and pressure to ensure effective drying and cooling effects.

Most modern blow dryers are equipped with automated control systems that can monitor and adjust parameters such as wind speed and temperature to achieve precise drying control.

Functions

The main function is to quickly dry the surface moisture of the extruded plastic product through high-speed airflow to prevent moisture from affecting the product quality.

While drying, the blow dryer can also provide appropriate cooling effect, quickly cooling the extruded thermoplastic material to below room temperature to ensure the shape and dimensional stability of the product.

The wind speed and temperature can be adjusted according to production needs to adapt to different types and thicknesses of extruded products.

Features

The blow dryer is designed as a high-efficiency device that can quickly and evenly dry and cool the surface of plastic products, improving production efficiency.

High-efficiency fans and energy recovery systems are used to reduce energy consumption and production costs.

The equipment usually has a user-friendly operating interface and automated control system, which is easy to operate and reduces the technical requirements of the operator.

Applications

Mainly used for drying and cooling of various extruded plastic products, such as pipes, films, profiles, etc.

In the field of food packaging, it is used for surface treatment of plastic films to ensure the dryness and hygienic safety of products.





In the production of medical devices, it is used for surface treatment of various plastic pipes or sheets to ensure product quality and hygienic standards.





Product details





FAQ

1:How many years of experience do you have?

Over 15 years experience in extruder industry.

2:Are you traders or manufacturers?What is the area of the factory?

We are manufacturer,The factory is over 5000 square meters.

3:Screw and barrel accessories, who is produced?

Our factory manufactures it ourselves

4:Can I have a sample order for extruder?

Yes, we welcome sample order to test and check quality. Mixed samples are acceptable.

5:How to proceed an order for ?

Firstly ,let us know your requirements or application.

Secondly ,We quote according to your requirements or our suggestions.

Thirdly ,customer confirms the samples and places deposit for formal order.

Fourthly, We arrange the production.

Finally, arrange delivery

6: Provide technology and formula?

For orders over a certain amount, we will provide the technology and formula to help you complete the project.

7: Have a catalogue?

[HLD Album.pdf](#)

 **Nanjing Henglande Machinery Technology Co., Ltd.**



+86 15251884557



jayce@hldextruder.com



extrudergranulator.com

NO.11,Qinghu Road,Hushu Town,Jiangning District,Nanjing,china.